

United States Environmental Protection Agency Office of Water Washington, DC EPA841-B-04-004

### **Wadeable Streams Assessment**

# Field Operations Manual



July 2004 FINAL

# WADEABLE STREAM ASSESSMENT: FIELD OPERATIONS MANUAL

#### NOTICE

The intention of the WSA project is to provide a comprehensive "State of the Streams" assessment for streams across the United States. The complete documentation of overall WSA project management, design, methods, and standards is contained in five companion documents, including:

- Wadeable Streams Assessment: Quality Assurance Project Plan
- Wadeable Streams Assessment: Site Evaluation Guidelines
- Wadeable Streams Assessment: Field Operations Manual
- Wadeable Streams Assessment: Benthic Laboratory Methods
- Wadeable Streams Assessment: Water Chemistry Laboratory Manual

This document (*Field Operations Manual*) contains a brief introduction, procedures to follow at the base location and on-site, including methods for sampling water chemistry (grabs and *in situ*), stream discharge, benthic macroinvertebrates, and physical habitat. These methods are based on the guidelines developed and followed in the Western Environmental Monitoring and Assessment Program (Peck et al. 2003). Methods described in this document are to be used specifically in work relating to WSA. All Project Cooperators should follow these guidelines. Mention of trade names or commercial products in this document does not constitute endorsement or recommendation for use. More details on specific methods for site evaluation, sampling, and sample processing can be found in the appropriate companion document.

The suggested citation for this document is:

USEPA. 2004. Wadeable Stream Assessment: Field Operations Manual. EPA841-B-04-004. U.S. Environmental Protection Agency, Office of Water and Office of Research and Development, Washington, DC.

#### **FOREWORD**

The strategic plan of USEPA calls for a report on the results of a statistical survey of the condition of the Nation's waters, conducted in cooperation with the states. Therefore, USEPA's Office of Water with support from the Office of Research and Development is initiating a national assessment of the ecological condition of wadeable streams by collaborating with state water quality agencies. The result is a Wadeable Streams Assessment (WSA) Program that consists of a comprehensive program for surveying, assessing, and diagnosing ecological condition. This assessment will generate statistically valid estimates of the ecological health of streams through sampling a representative assemblage of the aquatic community and associated ecological data. A determination of related causes and sources of degradation to these aquatic resources will be investigated.

This document contains the field operations and bioassessment methods for evaluating the health and biological integrity of wadeable freshwater streams throughout the United States. These methods can be used by state and tribal water quality agencies as well as USEPA regional, enforcement, and research programs engaged in condition assessments and/or trends monitoring for the effects of impacts on aquatic organisms, particularly benthic macroinvertebrates in wadeable streams throughout the nation. The program addresses methods and techniques for sample collection; sample preparation; processing of structural and functional measures by using organism identification and enumeration; the survey and evaluation of physical habitat structure; the computerization, analysis, and interpretation of biological data; and ecological assessments.

Companion documents include the overall Quality Assurance Program Plan (QAPP) and Laboratory Operations Manuals for processing the benthic macroinvertebrate assemblage samples and water chemistry.

#### **ABSTRACT**

The Wadeable Streams Assessment program focuses on the use of a consistent scientific and technical tools for evaluating ecological conditions on regional and national scales. The methods and instructions for field operations presented in this manual for surveys of wadeable streams were initially developed and tested during 5 years of pilot and demonstration projects (1993 - 1997) and modified for use in a study of streams in the Western US (2000-2002). These projects were conducted under the sponsorship of the U.S. Environmental Protection Agency and its collaborators through the Environmental Monitoring and Assessment Program (EMAP). This document describes procedures for collecting data, samples, and information about the benthic macroinvertebrate assemblage, environmental measures, or attributes of indicators of stream ecosystem condition, and were developed based on standard or accepted methods, modified as necessary to adapt them to sampling requirements for the Wadeable Streams Assessment. They are intended for use in field studies sponsored by the USEPA, or monitoring programs developed and implemented by various State and tribal agencies. In addition to methodology, additional information on data management, safety and health, and other logistical aspects is integrated into the procedures and overall operations. Procedures are described for collecting field measurement data and/or acceptable index samples for several response and stressor indicators, including water chemistry, physical habitat, and benthic macroinvertebrate assemblages. The manual describes field implementation of these methods and the logistical foundation constructed during field projects. Flowcharts and other graphic aids provide overall summaries of specific field activities required to visit a stream site and collect data for these indicators. Tables give step-by-step procedural instructions. These figures and tables can be extracted and bound separately to make a convenient quick field reference for field teams. The manual also includes example field data forms for recording measurements and observations made in the field and sample tracking information. Checklists of all supplies and equipment needed for each field task are included to help ensure that these materials are available when required.

#### **TABLE OF CONTENTS**

| Section F  | Page   |
|--|--|
| IOTICE   | i  |
| OREWORD  | ii   |
| BSTRACT  | iii  |
| IGURES   | vii  |
| ABLES  | ix   |
| CRONYMS, ABBREVIATIONS, AND MEASUREMENT UNITS  | xi   |
| 1.1 Overview of the Wadeable Streams Assessment Program 1.2 Integration with the EMAP Western Study 1.3 Summary of Ecological Indicators 1.3.1 Water Chemistry 1.3.2 Physical Habitat 1.3.3 Benthic Macroinvertebrate Assemblage 1.4 Objectives and Scope of the Field Operations Manual 1.5 Quality Assurance  1.0 OVERVIEW OF FIELD OPERATIONS 2.1 Daily Operational Scenario 2.2 Guidelines for Recording Data and Information 2.3 Safety and Health 2.3.1 General Considerations | 1 2 3 4 4 5 5 7 7 7  |
| 2.3.2 Safety Equipment and Facilities  | . 14   |
| 3.1 Activities Before Each Stream Visit 3.1.1 Confirming Site Access 3.1.2 Daily Sampling Itinerary 3.1.3 Instrument Inspections and Performance Tests 3.1.3.1 Global Positioning Receiver 3.1.3.2 Current Velocity Meters 3.1.4 Preparation of Equipment and Supplies 3.2 Activities after Each Stream Visit 3.2.1 Equipment Care 3.2.2 Sample Packing, Shipment and Tracking 3.2.2.1 Water Chemistry 3.2.2.2 Benthic Macroinvertebrate Samples                                     | . 19<br>. 19<br>. 21<br>. 21<br>. 21<br>. 21<br>. 24<br>. 24<br>. 25 |

#### TABLE OF CONTENTS (CONTINUED)

| Sec | ction  | Page |
|-----|--|------|
|     | 3.3 Status Reports   | . 29 |
|     | 3.4 Equipment and Supplies                                       | . 29 |
| 4.0 | INITIAL SITE PROCEDURES  | . 34 |
|     | 4.1 Site Verification Activities                                 | . 34 |
|     | 4.1.1 Locating the Index Site                                    | . 34 |
|     | 4.1.2 Determining the Sampling Status of a Stream                |      |
|     | 4.1.3 Sampling During or After Rain Events                       |      |
|     | 4.1.4 Site Photographs   |      |
|     | 4.2 Laying out the Sampling Reach                                |      |
|     | 4.3 Modifying Sample Protocols for High or Low Flows             |      |
|     | 4.3.1 Streams with Interrupted Flow                              | . 42 |
|     | 4.3.2 Partial Boatable/Wadeable Sites                            |      |
|     | 4.3.3 Braided Systems  |      |
|     | 4.4 Equipment and Supplies                                       | . 44 |
| 5.0 | WATER CHEMISTRY  | . 47 |
|     | 5.1 Sample Collection  |      |
|     | 5.2 Field Measurements   |      |
|     | 5.3 Equipment and Supplies                                       | . 49 |
| 6.0 | STREAM DISCHARGE   |      |
|     | 6.1 Velocity-Area Procedure                                      | . 54 |
|     | 6.2 Timed Filling Procedure                                      |      |
|     | 6.3 Neutrally-Buoyant Object Procedure                           |      |
|     | 6.4 Equipment and Supplies                                       | . 60 |
| 7.0 | PHYSICAL HABITAT CHARACTERIZATION                                | . 63 |
|     | 7.1 Components of the Habitat Characterization                   |      |
|     | 7.2 Habitat Sampling Locations Within the Sampling Reach         |      |
|     | 7.3 Logistics and Work Flow                                      |      |
|     | 7.4 Thalweg Profile and Large Woody Debris Measurements          |      |
|     | 7.4.1 Thalweg Profile  |      |
|     | 7.4.2 Large Woody Debris Tally                                   |      |
|     | 7.5 Channel and Riparian Measurements at Cross-section Transects |      |
|     | 7.5.1 Slope and Bearing  |      |
|     | 7.5.2 Substrate Size and Charlier Differsions                    |      |
|     | 7.5.4 Canopy Cover Measurements                                  |      |
|     | 7.5.5 Riparian Vegetation Structure                              |      |
|     | 7.5.6 Instream Fish Cover, Algae, and Aquatic Macrophytes        |      |
|     | 7.5.7 Human Influence  |      |
|     | 7.5.8 Riparian "Legacy" Trees                                    |      |

#### **TABLE OF CONTENTS (CONTINUED)**

| Section                          |   | Page |
|----------------------------------|---|------|
| 7.6.1 Cha<br>7.6.2 De            | Constraint, Debris Torrents, and Recent Floods              |      |
| 8.1 Sample C<br>8.2 Sample P     | CROINVERTEBRATES ollection rocessing t and Supply Checklist | 109  |
| 9.1 Rapid Hab<br>9.2 Visual Stre | AT AND VISUAL STREAM ASSESSMENTS                            |      |
| 10.0 FINAL SITE A                | CTIVITIES   | 137  |
| 11.0 LITERATURE                  | CITED   | 148  |
| <u>Appendices</u>                |   |      |
|                                  | ID SUPPLY CHECKLISTS<br>AND DATA SHEETS                     |      |

#### **FIGURES**

| Figu   | Figure P  |  |
|--|---|--|
| 1-1.   | The geographic scope of the Wadeable Streams Assessment (WSA), stratified by Ecoregion Level 2  | . 2                                    |
| 2-1.   | General sequence of stream sampling activities  | . 9                                    |
| 3-2.<br>3-3.   | Activities conducted at base locations.  Sample container labels.  Sample tracking form for unpreserved samples.  Sample tracking form for preserved samples.   | 23<br>26                               |
| 4-2.   | Verification Form (page 1).   | 41                                     |
|  | Completed sample labels for water chemistry   |  |
| 5-3.   | Channel Constraint and Field Measurement Form, showing data recorded for water chemistry.   |  |
| 6-2.   | Layout of channel cross-section for obtaining discharge data by the velocity-area procedure.  Stream Discharge Form, showing data recorded for all discharge measurement procedures.  Use of a portable weir in conjunction with a calibrated bucket to obtain an   | 57                                     |
| 7-2.<br>7-3.<br>7-4.<br>7-5.<br>7-6.<br>7-7.<br>7-8. | Sampling reach layout for physical habitat measurements (plan view).  Thalweg Profile and Woody Debris Form.  Large woody debris influence zones.  Channel slope and bearing measurements.  Slope and Bearing Form.  Substrate sampling cross-section.  Channel/Riparian Cross-section and Thalweg Profile Form.  Schematic showing bankfull channel and incision for channels. | 67<br>72<br>78<br>79<br>81<br>83<br>85 |
| 7-10   | Determining bankfull and incision heights for (A) deeply incised channels, and (B) streams in deep V-shaped valleys.  Schematic of modified convex spherical canopy densiometer.  Boundaries for visual estimation of riparian vegetation, fish cover, and human influences.  | 91                                     |
|  | <ul><li>Riparian "Legacy" Tree and Invasive Alien Plant Form (Page 1).</li><li>Channel Constraint and Field Chemistry Form, showing data for channel</li></ul>  |  |

#### FIGURES (CONTINUED)

| Figure  | Page |
|---|------|
| 7-14. Torrent Evidence Assessment Form  | 104  |
| 7-15. Checklist of equipment and supplies for physical habitat  | 106  |
| 8-1. Modified D-frame kick net  | 108  |
| <ul><li>8-2. Transect sampling design for the benthic macroinvertebrate sample</li><li>8-3. Sample Collection Form (page 1), showing information for the reach-wide and</li></ul> |      |
| targeted riffle benthic macroinvertebrate samples   | 114  |
| 8-4. Completed labels for benthic macroinvertebrate samples   | 116  |
| 8-5. Blank labels for benthic invertebrate samples  | 117  |
| 8-6. Equipment and supply checklist for benthic macroinvertebrates  | 118  |
| 9-1. Rapid Habitat Assessment Form for riffle/run prevalent streams   | 126  |
| 9-2. Rapid Habitat Assessment Form for pool/glide prevalent streams   | 128  |
| 9-3. Stream Assessment Form (page 1)  | 133  |
| 9-4. Checklist of equipment and supplies required for rapid habitat and visual  | 105  |
| stream assessments  | 135  |

#### **TABLES**

| Table Pag  |  |
|--|--|
| 2-1. Estimated Times and Division of Labor for Field Activities  | 10<br>13                               |
| 3-1. General Performance Checks for Current Velocity Meters 3-2. Stock Solutions, Uses, and Instructions for Preparation 3-3. Equipment Care after Each Stream Visit 3-4. General Guidelines for Packing and Shipping Unpreserved Samples  | 23<br>24                               |
| 3-5. Field Data Sheets to be Shipped   | 30<br>31                               |
| 4-1. Site Verification Procedures 4-2. Guidelines to Determine the Influence of Rain Events 4-3. Laying out the Sampling Reach 4-4. Modifications for Interrupted Streams 4-5. Modifications for Braided Streams 4-6. Equipment and Supplies Checklist for Initial Site Activities   | 38<br>39<br>43<br>45                   |
| 5-1. Sample Collection Procedures for Water Chemistry  |  |
| 6-1. Velocity-area Procedure for Determining Stream Discharge  | 59                                     |
| Stream Discharge   |  |
| 7-1. Components of Physical Habitat Characterization 7-2. Thalweg Profile Procedure 7-3. Channel Unit and Pool Forming Categories 7-4. Procedure for Tallying Large Woody Debris 7-5. Procedure for Obtaining Slope and Bearing Data 7-6. Substrate Measurement Procedure 7-7. Procedure for Measuring Bank Characteristics 7-8. Procedure for Canopy Cover Measurements 7-9. Procedure for Characterizing Riparian Vegetation | 70<br>74<br>77<br>80<br>84<br>87<br>92 |
| Structure  |  |
| 7-12. Procedure for Identifying Riparian Legacy Trees  | 98                                     |

#### TABLES (CONTINUED)

| Table |  | Page  |
|-------|--|-------|
|       | Procedure to Collect Benthic Macroinvertebrate Samples | . 111 |
| O 2.  | Benthic Macroinvertebrates                             | . 115 |
| 9-1.  | Descriptions of Parameters Used in the Rapid Habitat   |       |
|       | Assessment of Streams                                  | . 121 |
| 9-2.  | Procedure for Conducting the Rapid Habitat Assessment  | . 125 |
| 9-3.  | Procedure for Conducting the Final Visual Assessment   |       |
|       | Of a Stream  | . 130 |

#### ACRONYMS, ABBREVIATIONS, AND MEASUREMENT UNITS

#### **Acronyms and Abbreviations**

AFDM Ash-free dry mass

APA Acid/Alkaline Phosphatase Activity
BPJ Best Professional Judgment
BOD Biological Oxygen Demand

CENR (White House) Committee on the Environment and Natural Resources

CFR Code of Federal Regulations dbh Diameter at breast height

DC Direct Current

DIC Dissolved Inorganic Carbon

DLGs Digital Line Graphs
DO Dissolved oxygen

EERD Ecological Exposure Research Division

EMAP Environmental Monitoring and Assessment Program

EMAP-SW Environmental Monitoring and Assessment Program-Surface Waters Resource

Group

EMAP-WP Environmental Monitoring and Assessment Program-Western Pilot study

EPA U.S. Environmental Protection Agency

ERB Ecosystems Research Branch
GPS Global Positioning System

ID identification

LWD Large Woody Debris

MAHA Mid-Atlantic Highlands Assessment MAIA Mid-Atlantic Integrated Assessment

NAWQA National Water-Quality Assessment Program
NERL National Exposure Research Laboratory

NHEERL National Health and Environmental Effects Research Laboratory

ORD Office of Research and Development

OSHA Occupational Safety and Health Administration

P-Hab physical habitat
PVC polyvinyl chloride
QA quality assurance
QC quality control

RBP (EPA) Rapid Bioassessment Protocols

R-EMAP Regional Environmental Monitoring and Assessment Program

SL Standard length

SOP Standard Operating Procedure

TIME Temporally Integrated Monitoring of Ecosystems

TL Total length

USGS United States Geological Survey

WED Western Ecology Division

WSA Wadeable Streams Assessment

YOY young of year

YSI Yellow Springs Instrument system

## ACRONYMS, ABBREVIATIONS, AND MEASUREMENT UNITS (CONTINUED)

#### **Measurement Units**

amps amperes cm centimeter

ft foot gal gallon ha hectare Hz Hertz in inches L liter meter

m² square meters mg/L milligram per liter

mm millimeter µm micrometer

μS/cm microsiemens per centimeter mS/cm millisiemens per centimeter

msec millisecond ppm parts per million

psi pounds per square inch

V volts

VA volt-ampere